

# Signal Level Control

## Model SLC



**Description** The SLC is a continuously variable volume control that can remotely control the volume of up to 150 self-amplified speakers. The SLC fits into a single gang electrical box.

- Features**
- Remotely control the volume of up to 150 self-amplified speakers
  - Rugged and attractive stainless steel plate with engraved lettering
  - Mounts in a single gang electrical box
  - Easy and secure terminal strip connections
  - Passive (requires no DC power)

**Technical Specifications**

Max. Speaker Capacity:	150
Dimensions:	2- <sup>13</sup> / <sub>16</sub> " W x 4- <sup>9</sup> / <sub>16</sub> " H x 1- <sup>15</sup> / <sub>16</sub> " D
Product Weight:	2.4 oz.

**Architect & Engineer Specifications\*** The Level Controller shall be a continuously variable passive volume control that can remotely control the volume of up to 150 self-amplified speakers, Bogen Model SLC. The SLC output terminals shall be able to control up to 150 speaker inputs. Output wiring shall be made via two separate two-position screw terminal blocks for input and output signals.

The SLC shall have a rugged and attractive stainless steel plate with engraved lettering.

The SLC shall measure 2-<sup>13</sup>/<sub>16</sub>" W x 4-<sup>9</sup>/<sub>16</sub>" H x 1-<sup>15</sup>/<sub>16</sub>" D and fit into a single gang electrical box. The SLC shall weigh 2.4 ounces.

\* Architect and Engineer Specifications are available online in a Word document to assist you with preparing your bids.

**BOGEN<sup>®</sup>**  
**COMMUNICATIONS, INC.**

50 Spring Street, Ramsey, NJ 07446, U.S.A.  
201-934-8500 FAX: 201-934-9832  
Web Site: [www.bogen.com](http://www.bogen.com)