

Small, Lightweight and Easy to Use

Increase productivity in mobile business applications with the Socket *Bluetooth* Cordless Hand Scanner (CHS) Series 8, a small, thin barcode scanner that is easy to attach to your smartphone when in use and easy to detach when not in use.



- **One handed solution** — Ideal for workers who need to keep a hand free to handle merchandise or equipment
- **Thin, small and elegant** — As small as a credit card, the CHS Series 8 is thinner than most smartphones and slips easily into a shirt or pants pocket
- **Easy to integrate** — The CHS Series 8 is compatible with any applications used with our highly popular CHS Series 7 barcode scanners



Attached to Phone

Standalone

Wearable

WATCH VIDEO

<http://www.youtube.com/watch?v=t6WclxcN3aY>

HARDWARE FEATURES

- Compatible with Apple, Android, Windows devices
- Attach securely to phone with optional Klip Case (sold separately) to provide one-handed solution
- Use it either attached or detached from the phone
- Enjoy wireless freedom with a secure *Bluetooth* connection up to 33 ft (10 m)
- Battery Friendly™ technology enables extensive 10-hour battery life on a single charge
- Lightest barcode scanner on the market that can be attached to a phone in a sled type solution
- Scanner automatically connects to phone after initial setup
- Wear around neck or attach to belt with included lanyard / belt clip for convenient access to scanner
- Lanyard features breakaway for safety in industrial environments
- LED and beeps visual and audio indicators signal good scan, connection, and power status
- Vibrate mode indicates good scans, ideal for noisy environments where beeps are hard to hear or applications that require silent mode
- Supports *Bluetooth* HID connections for easy setup with no software installation - connect like a wireless keyboard²
- Supports *Bluetooth* SPP connections for advanced scanner control and SDK support²

SPECIAL FEATURES FOR APPLE IOS

- Certified by Apple for iPad, iPhone, and iPod touch
- Quickly access Apple iOS on-screen keyboard by pressing a scanner button
- Authentication chip enables two-way communications with Apple devices running a compatible app developed with SocketScan 10 SDK. View apps at: <http://www.socketmobile.com/appstore>
- App to modify beep, LED, vibrate, and other settings

SOFTWARE FOR ANDROID AND WINDOWS

- SocketScan™ 10 keyboard wedge enters scanned data into any app, no custom programming needed
- Socket EZ Pair automates *Bluetooth* setup — just scan the barcode on the screen to connect¹
- Suffix support — automatically add a carriage return or tab after each scan of data
- Data editing — reformat, extract or manipulate data
- Scanner configuration — modify beep, LED, vibrate, and symbology settings. View scanner's battery level

SOFTWARE DEVELOPMENT KIT (SDK)

- SocketScan 10 SDK available to members of Socket Mobile Developer Program (\$19.95/year) <http://developer.socketmobile.com>

¹Requires installation of SocketScan 10 software for Android/ BlackBerry/Windows or iOS app developed with SDK.

²Some smartphones/devices do not support both HID and SPP

CHS Model	8Ci
Scanner SKU #	CX2881-1476 CX2893-1497
Klip Case SKU#	Klip Case for iPhone 5: AC4066-1500 Klip Case for iPhone 5c: AC4078-1540 Klip Case for iPod touch (5 th generation): AC4067-1501 Klip Case for Samsung Galaxy S4: AC4068-1502 Universal Klip Case (requires 3rd party phone case): AC4069-1503 Note: Klip Cases for other devices are available from third- party manufacturers, contact Socket Mobile for more information. Developers, Socket Mobile partners, and third-party accessory manufacturers interested in creating Klip Cases can request the design files.
Scanner Dimensions	3.42 x 0.52 x 2.12 in. (86.9 x 53.94 x 13.43 mm)
Klip Case Dimensions	iPhone 5: 3.7 x 2.5 x 0.4 in. (94 x 63.5 x 10.16 mm) iPod touch (5 th generation): 3.7 x 2.4 x 0.3 in. (94 x 61 x 7.6 mm) Samsung Galaxy S4: 4.1 x 2.9 x 0.4 in. (104 x 73.66 x 10.16 mm)
Scanner Total Mass	1.7 oz (48.2 g)
Klip Case Mass	iPhone 5: 0.4 oz (11.3 g) iPod touch (5th Generation): 0.4 oz (11.3 g) Samsung Galaxy S4: 0.5 oz (14.2 g)
Drop Specification ¹	Multiple 3.3 ft (1 m) drops to vinyl covered concrete
Operating Temperature ²	+32 to +122°F (0 to +50°C)
Storage Temperature ²	-22 to +158°F (-30 to +70°C)
Relative Humidity	5% to 95% non-condensing
Ambient Light	Sunlight: 0 - 110,000 lux
Battery Type	Lithium ion rechargeable battery
Battery Life ¹	10 hours or 10,000 scans ²
Barcode Scanner Performance	
Scanner Type	Imager (1D)
Scans Barcodes on Device Screens	✓
Vibrate Mode for Good Scans	✓
Symbologies Decoded	UPC/EAN/JAN supplemental redundancy, Coupon Report, ISSN EAN, Inverse 1D, ISBT concatenations, Matrix 2 of 5, Bookland EAN (ISBN / EAN-13), Chinese 2 of 5, Codabar, Code 11, Code 128, Code 39, Code 93, Discrete 2 of 5, GS1 DataBar (RSS), GS1-128 (UCC-128/EAN-128), Interleaved 2 of 5 (ITF-14), MSI, Plessey, UPC/EAN
Scan Repetition Rate	5 scans/sec
Optical Resolution	5 mil minimum
Print Contrast	Minimum 20%
Scan Angle	53.3° ± 3°
Decode Distance ³	5.7 to 50.8 cm (2.25 to 20 in.)
Bluetooth Profile Support	Human Interface Device (HID) and Serial Port Profile (SPP) Some OS versions or smartphone/tablet models support only one profile.
Bluetooth Version	Bluetooth 2.1 + EDR (Enhanced Data Rates) with 56 bit data encryption
Radio Range	Class 2 Bluetooth: Up to 10 m (33 ft), depending on environment
OS Support	
• Apple iOS	✓
• Android OS	✓
• Windows	✓
SocketScan™ 10 Software	Keyboard wedge software featuring Socket EZ Pair for Android. Scanner Settings configuration utility also included.
SocketScan 10 SDK	For Apple iOS, Android, BlackBerry, Windows. Available to members of Socket Mobile Developer Program (\$19.95/year) http://developer.socketmobile.com
Included Items	CHS barcode scanner, Lithium ion rechargeable battery, USB charging cable, lanyard/belt clip with retractable tether, software
Warranty	Scanner: One year Accessories: 90 days
SocketCare Extended Warranty	Sold separately. SocketCare Plus 2 Year - SKU# SC1804-1349 SocketCare Plus 3 Year - SKU# SC1805-1350 http://www.socketcare.com/
Regulatory Compliance (pending)	
Electrical Safety	Certified to IEC 60950-1, UL 60950-1, CAN/CSA C22.2
Environmental	RoHS
EMI / RFI	FCC Part 15 Class C, RSS 210, iCES 003, C-Tick, CISPR 22, CE EN55022, EN55024, TELEC
Laser / LED Safety	IEC 60825-1, EN 60825-1

¹Preliminary and subject to change. ²Temperature ranges may vary with battery shelf life. ³Depends on symbol size, symbology, label media, W-N ratio, scan angle.

sales@socketmobile.com



Worldwide +1-510-933-3000
Toll-Free +1-800-552-3300 (USA/Canada)

EMEA / UK +44 7787 112109
Asia Pacific +1 510 933 3122
Latin America +1 510 933 3153